

SICO 1800 Dual-Height Stage

2

The Dual-Height / Single Height 1800 series offers all the advantages of a mobile folding stage, plus the added simplicity and speed of built-in height adjustability.

Single Person Set-up:

- Designed to be set-up and taken down by one person resulting in considerable savings in labor and time.

Less Units to be Handled:

- 6' x 8' (183cm x 244cm) stages make for the perfect head table riser. Allows 30" (76cm) for tables, 18" (46cm) for chairs, plus 24" (61cm) for serving space. 4' x 8' (122cm x 244cm) require twice as many units.



- Over-center locking mechanism keeps legs locked into place during transport.



- Each section of a Sico 1800 mobile folding stage rolls freely on its own four casters. No heavy sections to lift and carry, no storage caddies necessary.



- Sico Adaptable Ramps allow the same fast set-up as you have with a Sico portable folding stage.

- Velcro on all four sides of stage make for easy drape attachment. Drapes are adjustable, allowing full deck-to-floor coverage at all heights.

- Vinyl coated steel edge banding provides long lasting wear and durability.

- Unit-to-unit lock for tiered riser or stage set-up guarantees that stages are locked together for safety and security.

- Sico's pin and cable operation allows for easy height adjustment.



Accessories:

- Adjustable step units, ADA ramps, guard rails, guard rail covers, chair/table stops and drapes.

Service:




- Sico offers free space analysis drawings, which will provide accurate layouts for your venue with the appropriate number of stages and stage accessories.

Specifications:

- See specifications on page 10.



- Ideal for head table risers, performance stages, fashion runways, speaker's platform and theatre-in-the-round.



- Universal guardrails are used with the 1800 Stage, as well as the Sico Tri-Height stage.

Sico Tri-Height Stage Specifications:

Model #	Length & Width	Height
S3H316C??41B	6'x8' (183cm x 244cm)	12"/18" (31/46 cm)
S3H316E??41B	6'x8' (183cm x 244cm)	18"/24"/30" (46/61/76 cm)
S3H316F??41B	6'x8' (183cm x 244cm)	24"/30"/36" (61/76/91 cm)
S3H316G??41B	6'x8' (183cm x 244cm)	30"/36"/42" (76/91/107 cm)
S3H314C??41B	4'x8' (122cm x 244cm)	12"/18" (31/46 cm)
S3H314E??41B	4'x8' (122cm x 244cm)	18"/24"/30" (46/61/76 cm)
S3H314F??41B	4'x8' (122cm x 244cm)	24"/30"/36" (61/76/91 cm)
S3H314G??41B	4'x8' (122cm x 244cm)	30"/36"/42" (76/91/107 cm)

Above Tri-Height model numbers for reversible decks (carpet on one side, hard surface on reverse side). Hard surface on both sides is available.

Sico 1800 Stage Specifications:

Model #	A: set-down ht.	B: storage ht.	C:storage width
6' x 8' (183cm x 244cm)			
1882-624	16" - 24" (41cm - 61cm)	60" (152cm)	17" (43cm)
1882-632	24" - 32" (61cm - 81cm)	68" (173cm)	21" (53cm)
1882-640	32" - 40" (81cm - 102cm)	76" (193cm)	21" (53cm)
6' x 8' (183cm x 244cm)			
1881-608	8" (20cm)	52" (132cm)	16 1/2" (42cm)
1881-616	16" (41cm)	60" (152cm)	17" (43cm)
1881-624	24" (61cm)	68" (173cm)	21" (53cm)
1881-632	32" (81cm)	76" (193cm)	21" (53cm)
1881-640	40" (102cm)	84" (213cm)	23" (58cm)
4' x 8' (122cm x 244cm)			
1882-424	16" - 24" (41cm - 61cm)	60" (152cm)	17" (43cm)
1882-432	24" - 32" (61cm - 81cm)	68" (173cm)	21" (53cm)
1882-440	32" - 40" (81cm - 102cm)	76" (193cm)	21" (53cm)
4' x 8' (122cm - 244cm)			
1881-408	8" (20cm)	52" (132cm)	16 1/2" (42cm)
1881-416	16" (41cm)	60" (153cm)	17" (43cm)
1881-424	24" (61cm)	68" (173cm)	21" (53cm)
1881-432	32" (81cm)	76" (193cm)	21" (53cm)
1881-440	40" (102cm)	84" (213cm)	23" (58cm)
3' x 8' (91cm x 244cm)			
1881-308	8" (20cm)	52" (132cm)	16 1/2" (42cm)
1881-316	16" (41cm)	60" (152cm)	17" (43cm)
1881-324	24" (61cm)	68" (173cm)	21" (53cm)
1881-332	32" (81cm)	76" (193cm)	21" (53cm)

Above model numbers for Tuff-Deck (hard surface). For carpeted deck, change the third digit to a "1". For example: 1811-416 = carpeted stage 4' x 8' - 16" high (122cm x 244cm - 41cm)

Please contact Sico sales for your accessory needs: guardrails, steps, ramps, and drapes.

